

TBF-003-S-2021

Sample ID: HR20211190246 Strain: 2021 Gas #3 Matrix: Concentrates & Extracts Type: Other Sample Size: ; Batch:

Produced: Collected: 11/10/2021 Received: 11/10/2021 Completed: 11/15/2021 Batch#: 155668

Harrens Lab Inc

3507 Breakwater Ave

Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Client

Lic.#

Terpene Belt Processing

QA Testing

1 of 5

Result Pass

Complete

Complete

Pass

Pass

Pass

Pass

Pass

Pass

1212 Broadway Suite 910 Batch#: 155668 Oakland, CA 94612 Summary Test Date Tested Batch 11/12/2021 Cannabinoids 11/11/2021 Terpenes **Residual Solvents** 11/12/2021 Microbials 11/12/2021 **Mvcotoxins** 11/12/2021 11/12/2021 Pesticides Heavy Metals 11/12/2021 Foreign Matter 11/11/2021

Cannabinoids

Complete

	ND Total THC	ſ	ND Total CBD		0.00% Total Cannabino	ids
Analyte	LOD	LOQ	Result	Result	Result	Result
	%	%	%	mg/g	mg/unit	mg/serving
THCa	0.00400	0.01400	ND	ND	ND	ND
Δ9-THC	0.00700	0.02100	ND	ND	ND	ND
CBDa	0.00300	0.01000	ND	ND	ND	ND
CBD	0.00500	0.01500	ND	ND	ND	ND
CBN	0.00300	0.00800	ND	ND	ND	ND
CBG	0.00700	0.02200	ND	ND	ND	ND
Total THC			ND	ND	ND	ND
Total CBD			ND	ND	ND	ND
Total			0.00	0.00	0.00	0.00

1 Unit = g, 1g. 1 unit(s) per serving. Determination of Cannabinoids by HPLC, HL223 Total THC = THCa * $0.877 + \Delta 9$ -THC Total CBD = CBDa * 0.877 + CBDND = Not Detected; NR = Not Reported; LOD = Limit

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01







Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-003-S-2021

Harrer

ISO 17025 Accredited Laboratory

Sample ID: HR20211190246	Produced:
Strain: 2021 Gas #3	Collected: 11/10/2021
Matrix: Concentrates & Extracts	Received: 11/10/2021
Type: Other	Completed: 11/15/2021
Sample Size: ; Batch:	Batch#: 155668

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805 **QA** Testing

2 of 5

Client **Terpene Belt Processing** Lic. # 1212 Broadway Suite 910 Oakland, CA 94612

Terpenes

Analyte	LOD	LOQ	Results	Results	
	%	%	%	mg/g	
δ-Limonene	0.0080	0.0100	21.195	211.95	
β-Caryophyllene	0.0080	0.0100	17.747	177.47	
β-Myrcene	0.0080	0.0100	7.005	70.05	
α-Humulene	0.0080	0.0100	6.614	66.14	
Linalool	0.0080	0.0100	4.258	42.58	
β-Pinene	0.0080	0.0100	2.255	22.55	
α-Pinene	0.0080	0.0100	1.386	13.86	
Eucalyptol	0.0080	0.0100	0.616	6.16	
cis-Nerolidol	0.0080	0.0100	0.520	5.20	
Camphene	0.0080	0.0100	0.391	3.91	
Terpinolene	0.0080	0.0100	0.356	3.56	
Caryophyllene Oxide	0.0080	0.0100	0.279	2.79	
trans-Nerolidol	0.0080	0.0100	0.213	2.13	
y-Terpinene	0.0080	0.0100	0.197	1.97	(K)
3-Carene	0.0080	0.0100	ND	ND	
α-Bisabolol	0.0080	0.0100	ND	ND	
α-Terpinene	0.0080	0.0100	ND	ND	
B-Ocimene	0.0080	0.0100	ND	ND	
Geraniol	0.0080	0.0100	ND	ND	
Guaiol	0.0080	0.0100	ND	ND	
Isopulegol	0.0080	0.0100	ND	ND	
p-Cymene	0.0080	0.0100	ND	ND	
Total			63.032	630.32	
SO 170	25 Acc	red	itec	La	boratorv

Primary Aromas



Date Tested: 11/11/2021

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID





Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

TBF-003-S-2021

larrens

ISO 17025 Accredited Laboratory

Sample ID: HR20211190246
Strain: 2021 Gas #3
Matrix: Concentrates & Extracts
Type: Other
Sample Size: ; Batch:

Produced: Collected: 11/10/2021 Received: 11/10/2021 Completed: 11/15/2021 Batch#: 155668

Client **Terpene Belt Processing** Lic.# 1212 Broadway Suite 910 Oakland, CA 94612

Pesticides

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.03	0.1	0.1	ND	Pass
Acephate	0.03	0.1	0.1	ND	Pass	Hexythiazox	0.03	0.1	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.1	0.03	ND	Pass
Acetamiprid	0.03	0.1	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.03	0.1	0.1	ND	Pass	Malathion	0.03	0.1	0.5	ND	Pass
Bifenazate	0.03	0.1	0.1	ND	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.03	0.1	3	ND	Pass	Methiocarb	0.03	0.1	0.03	ND	Pass
Boscalid	0.03	0.1	0.1	ND	Pass	Methomyl	0.03	0.1	1	ND	Pass
Captan	0.03	0.1	0.7	ND	Pass	Mevinphos	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.03	0.1	10	ND	Pass	Oxamyl	0.03	0.1	0.5	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Paclobutrazol	0.03	0.1	0.03	ND	Pass
Chlorfenapyr	0.03	0.1	0.03	ND	Pass	Parathion Methyl	0.03	0.1	0.03	ND	Pass
Chlorpyrifos	0.03	0.1	0.03	ND	Pass	Pentachloronitrobenzene	0.03	0.1	0.1	ND	Pass
Clofentezine	0.03	0.1	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.03	0.1	0.03	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.03	0.1	2	ND	Pass	Piperonyl Butoxide	0.03	0.1	3	ND	Pass
Cypermethrin	0.03	0.1	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.1	0.03	ND	Pass	Propiconazole	0.03	0.1	0.1	ND	Pass
Diazinon	0.03	0.1	0.1	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Dichlorvos	0.03 0.03	0.1 0.1	0.03 0.03	ND	Pass	Pyrethrins Dyridahan	0.03 0.03	0.1 0.1	0.5 0.1	ND	Pass
Dimethoate				ND ND	Pass	Pyridaben			0.1	ND ND	Pass
Dimethomorph	0.03	0.1 0.1	2 0.03		Pass	Spinetoram	0.03	0.1			Pass Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.1	C 0.1	ND	
Etofenprox Etoxazole	0.03 0.03	0.1	0.03	ND ND	Pass Pass	Spiromesifen Spirotetramat	0.03	0.1	0.1	ND ND	Pass Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass Pass	Spiroxamine	0.03	0.1	0.03	ND	Pass Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass Pass	Tebuconazole	0.03	0.1	0.03	ND	Pass Pass
,	0.03	0.1	0.03	ND	Pass Pass	Thiacloprid	0.03	0.1	0.03	ND	Pass Pass
Fenpyroximate Fipronil	0.03	0.1	0.03	ND	Pass Pass	Thiamethoxam	0.03	0.1	0.03	ND	Pass Pass
Flonicamid	0.03	0.1	0.03	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass
Tiofficattiu	0.05	U. 1	0.1		Fd55	ΠΠΟΧΥΣΕΓΟΒΙΤΙ	0.03	0.1	0.1	ND	F d 5 5

Date Tested: 11/12/2021 We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2







Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

QA Testing

3 of 5

Pass

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-003-S-2021

Harrens

ISO 17025 Accredited Laboratory

Sample ID: HR20211190246	Produced:	Client
Strain: 2021 Gas #3	Collected: 11/10/2021	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 11/10/2021	Lic. #
Type: Other	Completed: 11/15/2021	1212 Broadway Suite 910
Sample Size: ; Batch:	Batch#: 155668	Oakland, CA 94612

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	17.2	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	6.2	Pass
Isopropanol	2.03	6.14	5000	ND	Pass
Methanol	2.26	6.86	3000	ND	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	<loq< td=""><td>Pass</td></loq<>	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	2.86	8.68	2170	ND	Pass

(510) 887-8885

DEA#: RH0490805

http://www.harrenslab.com Lic# C8-0000021-LIC

ISO 17025 Accredited Laboratory

Date Tested: 11/12/2021 ND = Not Detected; SOP HL231. Headspace GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Pass

TBF-003-S-2021

Produced:	Client
Collected: 11/10/2021	Terpene Belt Processing
Received: 11/10/2021	Lic.#
Completed: 11/15/2021	1212 Broadway Suite 91
Batch#: 155668	Oakland, CA 94612
	Collected: 11/10/2021 Received: 11/10/2021 Completed: 11/15/2021

M

Analyte

pe: Other mple Size: ; Batch:	Completed: 11/15/2021 Batch#: 155668	1212 Broadway Suite 910 Oakland, CA 94612
licrobials		
nalyte		Results

Aerobic Plate Count NR Aspergillus flavus Not Detected in 1g Aspergillus fumigatus Not Detected in 1g Aspergillus niger Not Detected in 1g Aspergillus terreus Not Detected in 1g Shiga Toxin-producing E. coli Not Detected in 1g Salmonella SPP Not Detected in 1g Yeast & Mold NR

(510) 887-8885

DEA#: RH0490805

http://www.harrenslab.com Lic# C8-0000021-LIC

Date Tested: 11/12/2021

NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.97	2.95		ND	Tested
Aflatoxin B2	0.51	1.56		ND	Tested
Aflatoxin G1	0.65	1.98		ND	Tested
Aflatoxin G2	0.55	1.67		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.55	1.66	20	ND	Pass
Date Tested: 11/12/2021	A				

SOP HL 240

Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 11/12/2021

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com

5 of 5

Pass Status

NT

Pass

Pass

Pass

Pass

Pass

Pass

NT

QA Testing

Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.



