

TBF-037-B-MV

Sample ID: HR20211190247 Strain: Pine #37 Matrix: Concentrates & Extracts Type: Other Sample Size: ; Batch: Produced: Collected: 11/10/2021 Received: 11/10/2021 Completed: 11/15/2021 Batch#: 155712

Harrens Lab Inc

3507 Breakwater Ave

Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

QA Testing

1 of 5

Client Terpene Belt Processing Lic. # 1212 Broadway Suite 910 Oakland, CA 94612

	Summary		
	Test	Date Tested	Result
	Batch		Pass
A State of the second second	Cannabinoids	11/12/2021	Complete
2 47	Terpenes	11/11/2021	Complete
	Residual Solvents	11/12/2021	Pass
TOJ) VN-8-	Microbials	11/12/2021	Pass
23715271 × B	Mycotoxins	11/12/2021	Pass
1155668	Pesticides	11/12/2021	Pass
and the second	Heavy Metals	11/12/2021	Pass
	Foreign Matter	11/11/2021	Pass

Cannabinoids

Complete

	ID ІТНС	ND Total CBD			0.00% otal Cannabino	iids
Analyte	LOD	LOQ	Result	Result	Result	Result
	%	%	%	mg/g	mg/unit	mg/serving
THCa	0.00400	0.01400	ND	ND	ND	ND
Δ9-THC	0.00700	0.02100	ND	ND	ND	ND
CBDa	0.00300	0.01000	ND	ND	ND	ND
CBD	0.00500	0.01500	ND	ND	ND	ND
CBN	0.00300	0.00800	ND	ND	ND	ND
CBG	0.00700	0.02200	ND	ND	ND	ND
Total THC			ND	ND	ND	ND
Total CBD			ND	ND	ND	ND
Total			0.00	0.00	0.00	0.00

1 Unit = g, 1g. 1 unit(s) per serving. Determination of Cannabinoids by HPLC, HL223 Total THC = THCa * $0.877 + \Delta 9$ -THC Total CBD = CBDa * 0.877 + CBDND = Not Detected; NR = Not Reported; LOD = Limi

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01







Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323; SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805 **QA** Testing

2 of 5

TBF-037-B-MV

Harrer

ISO 17025 Accredited Laboratory

Sample ID: HR20211190247	Produced:
Strain: Pine #37	Collected: 11/10/2021
Matrix: Concentrates & Extracts	Received: 11/10/2021
Type: Other	Completed: 11/15/2021
Sample Size: ; Batch:	Batch#: 155712

Client **Terpene Belt Processing** Lic. # 1212 Broadway Suite 910 Oakland, CA 94612

Terpenes

Analyte	LOD	LOQ	Results	Results	
	%	%	%	mg/g	
δ-Limonene	0.0080	0.0100	16.738	167.38	
β-Caryophyllene	0.0080	0.0100	13.380	133.80	
Terpinolene	0.0080	0.0100	10.277	102.77	
3-Myrcene	0.0080	0.0100	6.429	64.29	
α-Humulene	0.0080	0.0100	4.876	48.76	
3-Ocimene	0.0080	0.0100	4.717	47.17	
inalool	0.0080	0.0100	4.136	41.36	
3-Pinene	0.0080	0.0100	2.145	21.45	
x-Pinene	0.0080	0.0100	1.301	13.01	
Eucalyptol	0.0080	0.0100	0.838	8.38	
x-Terpinene	0.0080	0.0100	0.375	3.75	-
/-Terpinene	0.0080	0.0100	0.369	3.69	
Camphene	0.0080	0.0100	0.308	3.08	
3-Carene	0.0080	0.0100	0.290	2.90	
Caryophyllene Oxide	0.0080	0.0100	0.189	1.89	
r-Bisabolol	0.0080	0.0100	ND	ND	
is-Nerolidol	0.0080	0.0100	ND	ND	
Geraniol	0.0080	0.0100	ND	ND	
Guaiol	0.0080	0.0100	ND	ND	
sopulegol	0.0080	0.0100	ND	ND	
o-Cymene	0.0080	0.0100	ND	ND	
trans-Nerolidol	0.0080	0.0100	ND	ND	
Total			66.368	663.68	

Primary Aromas



Date Tested: 11/11/2021

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID







Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-037-B-MV

Sample ID: HR20211190247
Strain: Pine #37
Matrix: Concentrates & Extracts
Type: Other
Sample Size: ; Batch:

larrens

ISO 17025 Accredited Laboratory

Produced: Collected: 11/10/2021 Received: 11/10/2021 Completed: 11/15/2021 Batch#: 155712

http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

(510) 887-8885

Client **Terpene Belt Processing** Lic.# 1212 Broadway Suite 910

Oakland, CA 94612

Pesticides

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.03	0.1	0.1	ND	Pass
Acephate	0.03	0.1	0.1	ND	Pass	Hexythiazox	0.03	0.1	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.1	0.03	ND	Pass
Acetamiprid	0.03	0.1	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.03	0.1	0.1	ND	Pass	Malathion	0.03	0.1	0.5	ND	Pass
Bifenazate	0.03	0.1	0.1	ND	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.03	0.1	3	ND	Pass	Methiocarb	0.03	0.1	0.03	ND	Pass
Boscalid	0.03	0.1	0.1	ND	Pass	Methomyl	0.03	0.1	1	ND	Pass
Captan	0.03	0.1	0.7	ND	Pass	Mevinphos	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.03	0.1	10	ND	Pass	Oxamyl	0.03	0.1	0.5	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Paclobutrazol	0.03	0.1	0.03	ND	Pass
Chlorfenapyr	0.03	0.1	0.03	ND	Pass	Parathion Methyl	0.03	0.1	0.03	ND	Pass
Chlorpyrifos	0.03	0.1	0.03	ND	Pass	Pentachloronitrobenzene	0.03	0.1	0.1	ND	Pass
Clofentezine	0.03	0.1	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.03	0.1	0.03	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.03	0.1	2	ND	Pass	Piperonyl Butoxide	0.03	0.1	3	ND	Pass
Cypermethrin	0.03	0.1	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.1	0.03	ND	Pass	Propiconazole	0.03	0.1	0.1	ND	Pass
Diazinon	0.03	0.1	0.1	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Dichlorvos	0.03	0.1	0.03	ND	Pass	Pyrethrins	0.03	0.1	0.5	ND	Pass
Dimethoate	0.03	0.1	0.03	ND	Pass	Pyridaben	0.03	0.1	0.1	ND	Pass
Dimethomorph	0.03	0.1	2	ND	Pass	Spinetoram	0.03	0.1	0.1	ND	Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.1	0.1	ND	Pass
Etofenprox	0.03	0.1	0.03	ND	Pass	Spiromesifen	0.03	0.1	0.1	ND	Pass
Etoxazole	0.03	0.1	0.1	ND	Pass	Spirotetramat	0.03	0.1	0.1	ND	Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass	Spiroxamine	0.03	0.1	0.03	ND	Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass	Tebuconazole	0.03	0.1	0.1	ND	Pass
Fenpyroximate	0.03	0.1	0.1	ND	Pass	Thiacloprid	0.03	0.1	0.03	ND	Pass
Fipronil	0.03	0.1	0.03	ND	Pass	Thiamethoxam	0.03	0.1	5	ND	Pass
Flonicamid	0.03	0.1	0.1	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass

Date Tested: 11/12/2021 We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2





Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

3 of 5

Pass

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-037-B-MV

Harrens

ISO 17025 Accredited Laboratory

Sample ID: HR20211190247	Produced:	Client
Strain: Pine #37	Collected: 11/10/2021	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 11/10/2021	Lic. #
Type: Other	Completed: 11/15/2021	1212 Broadway Suite 910
Sample Size: ; Batch:	Batch#: 155712	Oakland, CA 94612

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	496.1	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Isopropanol	2.03	6.14	5000	7.0	Pass
Methanol	2.26	6.86	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	22.3	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Toluene	1.37	4.16	890	<loq< td=""><td>Pass</td></loq<>	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	2.86	8.68	2170	ND	Pass

(510) 887-8885

http://www.harrenslab.com

Lic# C8-0000021-LIC

DEA#: RH0490805

ISO 17025 Accredited Laboratory

Date Tested: 11/12/2021 ND = Not Detected; SOP HL231. Headspace GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 11/15/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

4 of 5

Pass

5 of 5

TBF-037-B-MV

arrei

ISO 17025 Accredited Laboratory

Sample ID: HR20211190247	Produced:	Client
Strain: Pine #37	Collected: 11/10/2021	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 11/10/2021	Lic.#
Type: Other	Completed: 11/15/2021	1212 Broadway Suite 910
Sample Size: ; Batch:	Batch#: 155712	Oakland, CA 94612

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 11/12/2021

Date lested: 11/12/2021 NR = Not Reported;Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.97	2.95		ND	Tested
Aflatoxin B2	0.51	1.56		ND	Tested
Aflatoxin G1	0.65	1.98		ND	Tested
Aflatoxin G2	0.55	1.67		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.55	1.66	20	ND	Pass
Date Tested: 11/12/2021					

SOP HL 240

Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 11/12/2021 SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.