

ed Laboratory 3507 Breakwater Ave

TBF-009-S-2021

Sample ID: HR20211190469 Strain: 2021 Fruit #9 Matrix: Concentrates & Extracts Type: Other Sample Size: ; Batch: 10 g

Produced: Collected: 11/23/2021 Received: 11/23/2021 Completed: 11/26/2021 Batch#: 159891

Harrens Lab Inc

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Client

QA Testing

1 of 5



Lic. # 1212 Broadway Suite 910 Oakland, CA 94612

Terpene Belt Processing

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	11/24/2021	Complete
Terpenes	11/23/2021	Complete
Residual Solvents	11/23/2021	Pass
Microbials	11/24/2021	Pass
Mycotoxins	11/24/2021	Pass
Pesticides	11/24/2021	Pass
Heavy Metals	11/24/2021	Pass
Foreign Matter	11/23/2021	Pass

Cannabinoids

Complete

ND Total TH			ND Total CBD		0.00% Total Cannabino	iids
Analyte	LOD	LOQ	Result	Result	Result	Result
	%	%	%	mg/g	mg/unit	mg/serving
THCa	0.00400	0.01400	ND	ND	ND	ND
Δ9-THC	0.00700	0.02100	ND ND	ND	ND	ND
CBDa —	0.00300	0.01000	ND	ND	ND	ND
CBD	0.00500	0.01500	ND	ND	ND	ND
CBN	0.00300	0.00800	ND	ND	ND	ND
CBG	0.00700	0.02200	ND	ND	ND	ND
Total THC			ND	ND	ND	ND
Total CBD			ND	ND	ND	ND
Total			0.00	0.00	0.00	0.00

1 Unit = g, 1g. 1 unit(s) per serving. Determination of Cannabinoids by HPLC, HL223 Total THC = THCa $^{\circ}$ 0.877 + Δ 9-THC Total CBD = CBDa $^{\circ}$ 0.877 + CBD ND = Not Detected; NR = Not Reported; LOD = Limi

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01







Ming Li - General Manager 11/26/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-009-S-2021

larrer

ISO 17025 Accredited Laboratory

Pr
Co
Re
Co
Ba

roduced: Collected: 11/23/2021 Received: 11/23/2021 Completed: 11/26/2021 Ratch#: 159891 (510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805 **QA** Testing

2 of 5

Client **Terpene Belt Processing** Lic. # 1212 Broadway Suite 910 Oakland, CA 94612

Terpenes

┝

Analyte	LOD	LOQ	Results	Results	
	%	%	%	mg/g	
β-Ocimene	0.0080	0.0100	24.831	248.31	
δ-Limonene	0.0080	0.0100	21.004	210.04	
β-Myrcene	0.0080	0.0100	19.491	194.91	
α-Pinene	0.0080	0.0100	9.048	90.48	
Terpinolene	0.0080	0.0100	8.758	87.58	
β-Caryophyllene	0.0080	0.0100	8.742	87.42	
β-Pinene	0.0080	0.0100	4.571	45.71	
α-Humulene	0.0080	0.0100	3.273	32.73	
3-Carene	0.0080	0.0100	ND	ND	
α-Bisabolol	0.0080	0.0100	ND	ND	
α-Terpinene	0.0080	0.0100	ND	ND	
Camphene	0.0080	0.0100	ND	ND	
Caryophyllene Oxide	0.0080	0.0100	ND	ND	
cis-Nerolidol	0.0080	0.0100	ND	ND	
Eucalyptol	0.0080	0.0100	ND	ND	
y-Terpinene	0.0080	0.0100	ND	ND	
Geraniol	0.0080	0.0100	ND	ND	
Guaiol	0.0080	0.0100	ND	ND	
Isopulegol	0.0080	0.0100	ND	ND	
Linalool	0.0080	0.0100	ND	ND	
p-Cymene	0.0080	0.0100	ND	ND	
trans-Nerolidol	0.0080	0.0100	ND	ND	
Total			99.718	997.18	
SO 170	25 Acc	red	itec	La	boratorv

Primary Aromas



Date Tested: 11/23/2021

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID





Ming Li - General Manager 11/26/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc. Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-009-S-2021

larrens

ISO 17025 Accredited Laboratory

Sample ID: HR20211190469
Strain: 2021 Fruit #9
Matrix: Concentrates & Extracts
Type: Other
Sample Size: ; Batch: 10 g

Produced: Collected: 11/23/2021 Received: 11/23/2021 Completed: 11/26/2021 Batch#: 159891 (510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

> Client Terpene Belt Processing

> > Lic. # 1212 Broadway Suite 910 Oakland, CA 94612

Pesticides

LOD LOQ LOD Analyte Limit Results Status Analyte LOQ Limit Results Status µg/g µg/g µg/g µg/g µg/g µg/g µg/g $\mu g/g$ Abamectin 0.1 0.1 ND Pass Fludioxonil 0.1 0.1 ND Pass 0.03 0.1 ND Acephate 0.1 0.1 ND Pass Hexythiazox 0.1 Pass 0.03 ND Pass 0.03 0.1 0.03 ND Acequinocyl 01 01 Imazalil Pass Acetamiprid 0.1 0.1 ND Pass Imidacloprid 0.1 5 ND Pass Aldicarb 0.1 ND Pass Kresoxim Methyl 0.1 ND Pass Azoxystrobin 0.1 0.1 ND Pass Malathion 0.1 ND Pass Bifenazate 0.1 ND Pass 0.1 ND 0.03 0.1 Metalaxyl Pass 0.1 ND Pass Pass Bifenthrin 0.03 3 Methiocarb 01 ND Boscalid 0.03 0.1 0.1 ND Pass Methomyl 0.1 ND Pass 1 Captan 0.1 ND Pass Mevinphos 0.1 ND Pass Carbaryl 0.1 ND Pass Myclobutanil 0.1 0.1 ND Pass Carbofuran 0.1 ND Pass Naled 0.1 0.1 ND Pass Chlorantraniliprole 0.1 10 ND Pass Oxamyl 0.1 ND Pass Chlordane 0.1 0.03 ND Pass Paclobutrazol 0.03 0.1 0.03 ND Pass ND Chlorfenapyr 0.1 Pass Parathion Methyl 0.1 0.03 ND Pass Chlorpyrifos 0.1 ND Pass Pentachloronitrobenzene 0.1 0.1 ND Pass Clofentezine 0.1 0.1 ND Pass Permethrin 0.1 ND Pass Coumaphos 0.1 0.03 ND Pass Phosmet 0.1 0.1 ND Pass Cyfluthrin ND Pass **Piperonyl Butoxide** ND 0.1 0.1 Pass Cypermethrin ND Pass Prallethrin 0.1 ND 0.1 1 0.1 Pass Daminozide 0.1 0.03 ND Pass Propiconazole 0.1 0.1 ND Pass Diazinon 0.1 ND Pass Propoxur 0.1 ND Pass 0.5 0.1 Dichlorvos 0.03 ND Pass Pyrethrins 0.1 ND Pass Pass 0.03 01 ND Pyridaben 01 0.1 ND Pass Dimethoate 0.1 ND 0.1 ND Dimethomorph 2 Pass Spinetoram 0.1 Pass Ethoprophos 0.03 0.1 ND Pass Spinosad 0.1 0.1 ND Pass Etofenprox 0.03 0.1 ND Pass Spiromesifen 0.1 0.1 ND Pass Etoxazole 0.03 0.1 0.1 ND Pass Spirotetramat 0.1 0.1 ND Pass 0.1 ND ND Fenhexamid 0.03 0.1 Pass Spiroxamine 0.03 0.1 0.03 Pass 0.03 0.1 ND Pass 0.1 ND Tebuconazole 0.1 Pass Fenoxycarb 0.03 0.1 0.1 ND Pass Thiacloprid 0.1 ND Pass Fenpyroximate 0.1 Thiamethoxam ND Fipronil ND Pass 0.1 5 Pass Flonicamid 0.03 0.1 0.1 ND Pass Trifloxystrobin 0.1 0.1 ND Pass

Date Tested: 11/24/2021

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2





3 of 5

Pass

_____support@con www.con

Ming Li - General Manager 11/26/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-009-S-2021

Harrens

ISO 17025 Accredited Laboratory

Sample ID: HR20211190469	Produced:	Client
Strain: 2021 Fruit #9	Collected: 11/23/2021	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 11/23/2021	Lic. #
Type: Other	Completed: 11/26/2021	1212 Broadway Suite 910
Sample Size: ; Batch: 10 g	Batch#: 159891	Oakland, CA 94612

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	242.2	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	5.9	Pass
Isopropanol	2.03	6.14	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Methanol	2.26	6.86	3000	6.9	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	16.1	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	2.86	8.68	2170	ND	Pass

(510) 887-8885

http://www.harrenslab.com

Lic# C8-0000021-LIC

DEA#: RH0490805

ISO 17025 Accredited Laboratory

Date Tested: 11/23/2021 ND = Not Detected; SOP HL231. Headspace GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 11/26/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Pass

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

5 of 5

TBF-009-S-2021

arrei

ISO 17025 Accredited Laboratory

Sample ID: HR20211190469	Produced:	Client
Strain: 2021 Fruit #9	Collected: 11/23/2021	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 11/23/2021	Lic.#
Type: Other	Completed: 11/26/2021	1212 Broadway Suite 910
Sample Size: ; Batch: 10 g	Batch#: 159891	Oakland, CA 94612

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 11/24/2021

Date Tested: 11/24/2021 NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.97	2.95		ND	Tested
Aflatoxin B2	0.51	1.56		ND	Tested
Aflatoxin G1	0.65	1.98		ND	Tested
Aflatoxin G2	0.55	1.67		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.55	1.66	20	ND	Pass
Date Tested: 11/2//2021					

Date lested: 11/24/2021 SOP HL 240

Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 11/24/2021

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.